




UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 8

999 18TH STREET- SUITE 300
DENVER, CO 80202-2466
Phone 800-227-8917
<http://www.epa.gov/region08>



07824VIC-V

File Copy

FEB 22 2005

Ref: 8P-W-GW

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Ms. Theresa Santangelo-Dreiling
CDOT Project Manager
Colorado Department of Transportation
Office of Environmental Services
15285 South Golden Road, Bldg. 47
Golden, Colorado 80401

RE: UNDERGROUND INJECTION CONTROL (UIC)
Class V Injection Well Rule Authorization
Change in Operation
CDOT Region 6 Headquarters
2000 South Holly Street
Denver, Colorado
(EPA File #CO5000-04976)

Dear Ms. Santangelo-Dreiling:

The Environmental Protection Agency (EPA) has reviewed your change in operation application and has decided, pursuant to Title 40 Code of Federal Regulations (40 CFR), §144.24 (as modified in part January 3, 1994), that a permit is not necessary at this time for injection of sodium lactate and sodium sulfite at the location specified in your January 27, 2005 request. However, this injection is subject to the rule authorization requirements outlined in 40 CFR, including, but not limited to, §144.12, §144.24, and §144.27 (as modified in part January 3, 1994). This rule authorization is for injection at the CDOT Region 6 Headquarters site, 2000 South Holly Street, Denver, Colorado, and is based on information (the January 27, 2005 request) submitted by MACTEC Engineering and Consulting, Inc., in your behalf, and is valid for:

The injection of sodium lactate and sodium sulfite into ground water that is impacted by chlorinated volatile organic compounds for conversion from aerobic to anaerobic bioremediation.

Any change in operating methods or conditions specified in your request of January 27, 2005 must be approved in advance by the EPA, Underground Injection Control (UIC) Program. Please note that this injection as well as future injections at this site may be subject to an Underground Injection Control Permit.

This rule authorization change in operation pertains to UIC solely and does not relieve you from satisfying the State of Colorado regulations for total site remediation. Nor is it the intent of this authorization to preclude any other federal, state or local regulations that may apply.

Please send any correspondence to:

U. S. Environmental Protection Agency
Attention: Valois Shea
MAIL CODE: 8P-W-GW
999 18th Street, Suite 300
Denver, CO 80202-2466

If you have any questions concerning this rule authorization, please contact Bob Becker at (303) 312-6127. For interpretation of Class V regulations, policies, and guidance, contact Valois Shea at (303) 312-6276.

Sincerely,



Sandra A. Stavnes
Director
Ground Water Program

cc: Mr. Charles Johnson
Colorado Department of Public Health and Environment

Ms. Patricia Kaygi.
MACTEC Engineering and Consulting, Inc.

7002 2410 0004 6633 4590

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

Postmark
Here

Sent To **Theresa Santangelo-Dreiling**
CO Dept of Transportation
 Office of Environmental Services
 15285 S. Golden Rd, Bldg 47
 Golden, CO 80401

PS Form 3800, June 2002

See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mail piece, or on the front if space permits.

1. Article Addressed to: *Rule Auth*
CO5000-04976

Ms. Theresa Santangelo-Dreiling
 CDOT Project Manager
 CO Dept of Transportation
 Office of Environmental Services
 15285 S Golden Rd, Bldg 47
 Golden, CO 80401

P

pw-gw

2. Article Number
 (Transfer from service label)

7002 2410 0004 6633 4590

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X L Miller

☒ Agent
☐ Addressee

B. Received by (Printed Name)

L Miller

C. Date of Delivery

KE 2/23

D. Is delivery address different from item 1? ☐ Yes
 If YES, enter delivery address below: ☒ No

3. Service Type

☒ Certified Mail ☐ Express Mail
☐ Registered ☐ Return Receipt for Merchandise
☐ Insured Mail ☐ C.O.D.

4. Restricted Delivery? (Extra Fee)

☐ Yes

RECEIVED
 FEB 24 2005
 EPA Region 8
 Ground Water Program

RECEIVED
 FEB 23 2005
 GOLDEN CO